UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------|----------------------|---------------------|------------------|
| 10/787,340 | 02/26/2004 | Jeffrey M. Fries | 11000060-0041 | 3970 |
| 26263 7590 05/27/2009 SONNENSCHEIN NATH & ROSENTHAL LLP P.O. BOX 061080 WACKER DRIVE STATION, SEARS TOWER | | | EXAMINER | |
| | | | TIEU, BINH KIEN | |
| CHICAGO, IL | | STOWER | ART UNIT | PAPER NUMBER |
| | | | 2614 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 05/27/2009 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) |
|--|---|---|
| | 10/787,340 | FRIES ET AL. |
| Office Action Summary | Examiner | Art Unit |
| | BINH K. TIEU | 2614 |
| The MAILING DATE of this communication ap Period for Reply | pears on the cover sheet with the o | correspondence address |
| A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be ting will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE | N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133). |
| Status | | |
| Responsive to communication(s) filed on 21 № 2a) This action is FINAL . 2b) This 3) Since this application is in condition for allowated closed in accordance with the practice under the second secon | s action is non-final. ince except for formal matters, pro | |
| Disposition of Claims | | |
| 4) Claim(s) 1,2,4-12,14-23,25 and 26 is/are pend 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1,2,4-12,14-23,25 and 26 is/are reject 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o | own from consideration. | |
| 9)☐ The specification is objected to by the Examine | or . | |
| 10) The drawing(s) filed on is/are: a) accomposition and accomposition accomposition and accomposition accomposi | cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob | e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d). |
| Priority under 35 U.S.C. § 119 | | |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list | ts have been received. ts have been received in Applicat prity documents have been receive au (PCT Rule 17.2(a)). | ion No ed in this National Stage |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other: | ate |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/21/2008 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2614

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-2, 4-12, 14-23 and 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cox (US. Pat. #: 6,449,350, *as cited in the previous Office Action*) in view of Grau et al. (US. Pat. #: 5,818,906) or Kline et al. (US. Pat. #: 4,464,543).

Regarding claim 1, Cox teaches a computer system for displaying line unit performance details, the system comprising:

a report display component for displaying a line unit performance report (i.e., display terminal 64, figure 4, displaying total usage and number of calls to the line unit (LU), note col.9, lines 4-15);

a line unit performance details component for displaying details regarding line usage information in a telecommunications network (i.e., the display terminal 64 display details of line usage information after input query or request (col.12, lines 1-9), such as traffic data measurement of a single switch component or line unit on 30 minute-time periods for a day or thirty (30) days, as shown in figure 2A, note col.10, lines 21-58); and

a load balance display component for displaying information regarding activity done to balance traffic for network equipment associated with a line unit, the line unit being further associated with the line unit performance details in the telecommunications network (note col.11, lines 25-39, col.12, line 1-10 and lines 43-55).

It should be noticed that Cox fails to clearly teach feature of a load balance display component for displaying historical information regarding activities previously done to balance traffic for network equipment associated with a line unit, as argued by the Applicants in their remarks. However, Grau teaches a cable control unit (102) for detecting events associated with connections occurring in the cable telephone system. Information describing these events is placed into connection event reports and sent to a traffic analysis and planning system. Grau further teaches an ability to display history of connection events occurring within the communication system (see col.2, lines 45-64) wherein the connection events are messages associated with all activities which occur during a given connection (see col.5, lines 52-60). Kline teaches a network control center (NCC) that allows a network operator take a course of action. For example, the NCC displays a history (summary) report of activities such as the last maintenance summary report from a specific switch to the network operator for localizing and diagnosing a reported problem (see col.10, lines 28-51) for a purpose of quickly response to traffic conditions.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of *a* load balance display component for displaying historical information regarding activities previously done to balance traffic for network equipment associated with a line unit, as taught by Grau or Kline, into view of Cox in order to provide quickly responsibilities to traffic conditions.

Regarding claim 2, Kline also teaches limitations of the claim in col.10, lines 28-42.

Regarding claim 4-7, Cox further teaches limitations of the claims in figures 5, 6 and 7, note col.12, line 18 through col.13, line 63.

Regarding claim 8, Cox further teaches limitations of the claim in the database 41 in figure 4, col.9, lines 36-64, and col.11, lines 40-60.

Regarding claims 9-10, Cox further teaches limitations of the claims in figure 1B, col.9, lines 64 throughcol.10, line 20.

Regarding claim 11, Cox teaches a method for displaying line unit performance details in a computerized environment, the method comprising:

displaying a line unit performance report (i.e., display terminal 64, figure 4, displaying total usage and number of calls to the line unit (LU), note col.9, lines 4-15);

receiving a request for line unit performance details (i.e., Query Serve 66 receiving a request to query submitted by a user, col.12, lines1-9);

displaying the line unit performance details requested (i.e., Query Serve 66 scheduling reports to be displayed, viewed and/or printed, col.12, lines 8-10)

a load balance display component for displaying information regarding activity done to

balance traffic for network equipment associated with a line unit, the line unit being

further associated with the line unit performance details in the telecommunications network (note col.11, lines 25-39, col.12, line 1-10 and lines 43-55).

It should be noticed that Cox fails to clearly teach feature of displaying historical information regarding prior activities performed to balance traffic for network equipment associated with a line unit, as argued by the Applicants in their remarks. However, Grau teaches a cable control unit (102) for detecting events associated with connections occurring in the cable telephone system. Information describing these events is placed into connection event reports and sent to a traffic analysis and planning system. Grau further teaches an ability to display history of connection events occurring within the communication system (see col.2, lines 45-64) wherein the connection events are messages associated with all activities which occur during a given connection (see col.5, lines 52-60). Kline teaches a network control center (NCC) that allows a network operator take a course of action. For example, the NCC displays a history (summary) report of activities such as the last maintenance summary report from a specific switch to the network operator for localizing and diagnosing a reported problem (see col.10, lines 28-51) for a purpose of quickly response to traffic conditions.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of displaying historical information regarding prior activities performed to balance traffic for network equipment associated with a line unit, as taught by Grau or Kline, into view of Cox in order to provide quickly responsibilities to traffic conditions.

Regarding claim 12, Kline also teaches limitations of the claim in col.10, lines 28-42.

Regarding claims 14-18, Cox further teaches limitations of the claims in figures 5, 6 and 7, note col.12, line 18 through col.13, line 63.

Regarding claim 19, note database 41 in figure 4, col.9, lines 36-64, and col.11, lines 40-60.

Regarding claims 20-21, note figure 1B, col.9, lines 64 through col.10, line 20.

Regarding claim 22, Cox teaches a computer system for displaying line unit performance details, the system comprising:

means for displaying a line unit performance report (i.e., display terminal 64, figure 4, displaying total usage and number of calls to the line unit (LU), note col.9, lines 4-15);

means for receiving a request for line unit performance details (i.e., Query Serve 66 receiving a request to query submitted by a user, col.12, lines1-9);

means for displaying the line unit performance details requested (i.e., Query Serve 66 scheduling reports to be displayed, viewed and/or printed, col.12, lines 8-10)

means for displaying load balance display component for displaying information regarding activity done to balance traffic for network equipment associated with a line

unit, the line unit being further associated with the line unit performance details in the telecommunications network (note col.11, lines 25-39, col.12, line 1-10 and lines 43-55).

It should be noticed that Cox fails to clearly teach feature of means for displaying historical information regarding prior activities performed to balance traffic for network equipment associated with a line unit, as argued by the Applicants in their remarks. However, Grau teaches a cable control unit (102) for detecting events associated with connections occurring in the cable telephone system. Information describing these events is placed into connection event reports and sent to a traffic analysis and planning system. Grau further teaches an ability to display history of connection events occurring within the communication system (see col.2, lines 45-64) wherein the connection events are messages associated with all activities which occur during a given connection (see col.5, lines 52-60). Kline teaches a network control center (NCC) that allows a network operator take a course of action. For example, the NCC displays a history (summary) report of activities such as the last maintenance summary report from a specific switch to the network operator for localizing and diagnosing a reported problem (see col.10, lines 28-51) for a purpose of quickly response to traffic conditions.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of means for displaying historical information regarding prior activities performed to balance traffic for network equipment associated with a line unit, as taught by Grau or Kline, into view of Cox in order to provide quickly responsibilities to traffic conditions.

Application/Control Number: 10/787,340 Page 9

Art Unit: 2614

Regarding claim 23, note database 41 in figure 4, col.9, lines 36-64, and col.11, lines 40-60.

Regarding claim 25, Cox further teaches limitations of the claims in figures 5, 6 and 7, note col.12, line 18 through col.13, line 63.

Regarding claim 26, note figure 1B, col.9, lines 64 through col.10, line 20.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Binh K. Tieu whose telephone number is (571) 272-7510 and E-mail address: <u>BINH.TIEU@USPTO.GOV</u>.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Curtis Kuntz, can be reached on (571) 272-7499 and IF PAPER HAS BEEN MISSED FROM THIS OFFICIAL ACTION PACKAGE, PLEASE CALL CUSTOMER SERVICE FOR THE SUBSTITUTIONS OR COPIES.

Alexandria, VA 22314

In formation regarding the status of an application may be obtained from the Patent Application Information Retrieval (FAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the FAIR system, see http://pair-direct.uspto.gov. If you

Application/Control Number: 10/787,340 Page 10

Art Unit: 2614

have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/BINH K.TIEU/ Primary Examiner

Technology Division 2614

Date: May 2009